
## How to delabel allergy via ActionADE for patient tolerated re-exposure (for patients with penicillins allergy)


Created 09-Feb-2021

## Per ActionADE pharmacist:


- You won't be able to see allergies/adverse reactions reported by the community pharmacists in ActionADE. You can only see the ones reported in ActionADE. We can't edit/modify reports in PharmaNet unless they were done using ActionADE.
- If you add your refuted report to ActionADE, it will show up under adverse reactions in PharmaNet and refuted next to it.
- Community pharmacists will be educated to recognize that the patient once had a reaction to penicillin but now it's been refuted so it's safe to dispense again.
- The asterisk/highlighted fields are the mandatory fields you need to fill out in order for the report to go to PharmaNet (ADE type, Symptoms/Diagnosis, ADE outcome, Certainty level).



## STEP 1: Determine if patient has allergy reported on pharmanet via Cerner PowerChart



## STEP 2: Refute the listed allergy AND the recently tolerated penicillin antibiotic via ActionADE



4. 5.	Pick the drug currently listed on PharmaNet. Can leave the rest blank.	Drug Information			
		Drug Name *	AMOXICILLIN 250 MG CA	Extended Release	
		Dose taken			
	patient recently tolerated	Route			
	toloratod	Frequency			
		Indication (select maximum of 3)	Start typing to begin lookup		
		Other Info			
		In the above example, the sechospital.	cond drug would be "piptazo'	as patient recently tolerated piptazo in	
6.	ADE type	Allergy			
7.	Symptoms/Dia gnosis	No reaction on previous exposure to drug			
8.	ADE occurred on	Based on when patient tolerated re-exposure			
9.	Skip the treatment tab. Go to Outcome tab.	DETAILS TREATMENT	OUTCOME		
	. ADE Outcome	Other (as the other options ar	e not applicable)		
11	. Certainty Level	Refute			

