



How to delabel allergy via ActionADE for patient with negative allergy test (for patients with penicillins allergy)

Created 10-Feb-2021


Per ActionADE pharmacist:

- You won't be able to see allergies/adverse reactions reported by the community pharmacists in ActionADE. You can only see the ones reported in ActionADE. We can't edit/modify reports in PharmaNet unless they were done using ActionADE.
- If you add your refuted report to ActionADE, it will show up under adverse reactions in PharmaNet and refuted next to it.
- Community pharmacists will be educated to recognize that the patient once had a reaction to penicillin but now it's been refuted so it's safe to dispense again.
- The asterisk/highlighted fields are the mandatory fields you need to fill out in order for the report to go to PharmaNet (ADE type, Symptoms/Diagnosis, ADE outcome, Certainty level).



STEP 1: Determine if patient has allergy reported on pharmanet via Cerner PowerChart

<p>1. On Cerner PowerChart: "Medication List" → "External Rx History" → select "View"</p>	 <p>The screenshot shows the Cerner PowerChart interface. On the left is a 'Menu' with options: Pharmacist Workflow, Results Review, Allergies (+ Add), Orders (+ Add), Medication List (+ Add), and Documentation (+ Add). The 'Medication List' option is highlighted with a red box. The main area is titled 'Medication List' and includes buttons for '+ Add', 'Document Medication by Hx', 'Reconciliation', 'Check Interactions', and 'External Rx History' (highlighted with a red box). Below these are tabs for 'Orders', 'Medication List', and 'Document In Plan'. A 'View' dropdown is set to 'Medication List'. At the bottom, there are filters for 'Dose ...' and 'Order Name/Details'.</p>			
<p>2. Continue until you see below Adverse Reactions & Conditions section</p>	 <p>The screenshot shows the 'Review PharmaNet Patient Profile' section. It contains two main areas: 'Adverse Reactions' and 'Conditions'. The 'Adverse Reactions' table is highlighted with a red box and contains the following entries:</p> <table border="1"> <thead> <tr> <th>Adverse Reactions</th> </tr> </thead> <tbody> <tr> <td>AMOXICILLIN 250 MG CAPSULE APOTEX INC 628115</td> </tr> <tr> <td>PENICILLIN ALLERGY</td> </tr> </tbody> </table> <p>The 'Conditions' section lists 'CLONAZEPAM' (Chronic) and 'DR.VILLAGE SAID NO MORE CLONAZEPAM UNTIL JAN 2013!!!'.</p>	Adverse Reactions	AMOXICILLIN 250 MG CAPSULE APOTEX INC 628115	PENICILLIN ALLERGY
Adverse Reactions				
AMOXICILLIN 250 MG CAPSULE APOTEX INC 628115				
PENICILLIN ALLERGY				

STEP 2: Refute the listed allergy via ActionADE

<p>1. Add New Patient to ActionADE via PHN</p>	
<p>2. Add ADE</p>	
<p>3. Add Drug</p>	 <p>The screenshot shows the 'Add Drug' step in the ActionADE interface. The 'Suspect Drug(s)' section is highlighted with a red box and contains an 'Add Drug' button. Below the button is a list of drugs with checkboxes: HYDROCODONE HCL 50 MG CB, HYDROCORTISONE ACETATE 1 % KA, FUROSEMIDE 40 MG TA, SPIRONOLACTONE 100 MG TA, HYDROMORPHONE HCL 4 MG TA, NIVOLUMAB 40 MG/4 ML HV, IPILIMUMAB 50 MG/10ML HV, and PANTOPRAZOLE MAGNESIUM 40 MG TE. The right side of the interface shows tabs for 'DETAILS', 'TREATMENT', and 'OUTCOME', along with fields for 'ADE Type', 'Symptoms / Diagnosis', 'Relevant laboratory data', and 'ADE Occurred On' with various time range options.</p>

<p>4. Drug Name #1: Pick the drug currently listed on PharmaNet. Can leave the rest blank.</p>	<div style="text-align: center;">Drug Information</div> <div style="border: 1px solid #ccc; padding: 10px;"> <p>Drug Name * <input style="border: 2px solid red;" type="text" value="AMOXICILLIN 250 MG CA"/> <input type="checkbox"/> Extended Release</p> <p>Dose taken <input type="text"/> <input type="text"/></p> <p>Route <input type="text"/></p> <p>Frequency <input type="text"/></p> <p>Indication (select maximum of 3) <input type="text" value="Start typing to begin lookup"/></p> <p>Other Info <input type="text"/></p> <p style="text-align: center;"> <input type="button" value="Cancel"/> <input type="button" value="OK"/> </p> </div>
<p>5. ADE type</p>	<p>Allergy</p>
<p>6. Symptoms/Diagnosis</p>	<p>Allergy test negative</p>
<p>7. ADE occurred on</p>	<p>Based on when patient received allergy test</p>
<p>8. Skip the treatment tab. Go to Outcome tab.</p>	<div style="border: 1px solid #ccc; padding: 5px; display: flex; justify-content: space-around;"> DETAILS TREATMENT OUTCOME </div>
<p>9. ADE Outcome</p>	<p>Other (as the other options are not applicable)</p>
<p>10. Certainty Level</p>	<p>Refute</p>
<p>11. Refuted Reason</p>	<p>The patient was allergy tested and has no allergy</p>
<p>12. Save</p>	<p>You should see new entries added to patient's ADE field.</p>

	 ADE (1) 
13. Copy and paste report to Cerner documentation	